Draft Jamaican Standard

Method of Test

for

Paints and varnishes — Scratch test using a spring-loaded pen



BUREAU OF STANDARDS JAMAICA

NON-OBJECTION PERIOD:

30 JUNE 2024 – 29 JULY 2024

manne

IMPORTANT NOTICE

Jamaican standards are subjected to periodic review. The next amendment will be sent without charge if you cut along the dotted line and return the self-addressed label. If we do not receive this label we have no record that you wish to be kept up-to-date. Our address:

Bureau of Standards Jamaica 6 Winchester Road P.O. Box 113 Kingston 10 Jamaica W.I.

-----(□cut along the line)------

JS ISO 22557: 202X

NAME OR DESIGNATION	
ADDRESS	

JBS CERTIFICATION MARK PROGRAMME

The general policies of the JBS Certification Mark Programme are as follows:

- The JBS provides certification services for manufacturers participating in the programme and licensed to use the gazetted JBS Certification Marks to indicate conformity with Jamaican Standards.
- Where feasible, programmes will be developed to meet special requirements of the submitter. Where applicable, certification may form the basis for acceptance by inspection authorities responsible for enforcement of regulations.
- In performing its functions in accordance with its policies, JBS will not assume or undertake any responsibility of the manufacturer or any other party.

Participants in the programme should note that in the event of failure to resolve an issue arising from interpretation of requirements, there is a formal appeal procedure.

Further information concerning the details of the JBS Certification Mark Programme may be obtained from the Bureau of Standards, 6 Winchester Road, Kingston 10.

CERTIFICATION MARKS



Certification of Agricultural Produce (CAP) Mark



Plant Certification Mark



Jamaica-Made Mark

Draft Jamaican Standard

Method of Test

for

Paints and varnishes — Scratch test using a spring-loaded pen

Bureau of Standards Jamaica 6 Winchester Road P.O. Box 113 Kingston 10 Jamaica W. I. Tel: (876) 926 -3140-5, (876) 618 – 1534 or (876) 632-4275 Fax: (876) 929 -4736 E-mail: <u>info@bsj.org.jm</u> Website: <u>www.bsj.org.jm</u>

Month 202X

© 202X Bureau of Standards Jamaica

All rights reserved. Unless otherwise specified, no part of a Bureau of Standards publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including, photocopying microfilm or scanning, without permission in writing.

ISBN XXX.XXXX.XXX

Declared by the Bureau of Standards to be a standard Method of Test pursuant to section 7 of the Standards Act 1969.

First published Month 202X

This standard was circulated in draft form for thirty (30) days non-objection under the reference DJS ISO 22557: 2024.

Jamaican Standards establish requirements in relation to commodities, processes and practices, but do not purport to include all the necessary provisions of a contract.

The attention of those using this specification is called to the necessity of complying with any relevant legislation.

No.	Date of Issue	Remarks	Entered by and date
orth			

Amendments

Contents

		Page	
Comn Ackno	nal foreword nittee representation owledgement eword	ii iii iii	
1	Scope		
2	Normative references		
3			
4	Principle	2	
5	Apparatus	2	
6	Test specimens 6.1 General requirements 6.2 Film thickness 6.3 Conditioning		
7	Procedure 7.1 Agreements 7.2 Test conditions 7.3 General test procedure 7.4 Constant test load method (test requirement I – "pass/fail" test) 7.5 Varied test load method (test requirement II – classification test) 7.6 Assessment of the damage		
8	Precision 8.1 General 8.2 Repeatability limit, r 8.3 Reproducibility limit, R		
9	Test report 9.1 Detailed form 9.2 Short form	9	
Ann	ex A (informative) Details on the interlaboratory comparison for the estimation	precision11	
Bibl	iography		

National foreword

This standard is an adoption and is identical to ISO 22557:2019 Paints and varnishes — Scratch test using a spring-loaded pen published by the International Organization for Standardization (ISO).

Scope of the standard

This document specifies a method for determining the resistance of a coating to scratches introduced by a usually hand-held loaded stylus.

The test can be carried out using a point stylus (method A) or using a disc stylus (method B).

Both methods are generally applicable and can be used in the field as well as on curved surfaces. Method A can also be applied on small test specimens (minimum dimensions 30 mm × 50 mm).

The test can be carried out as a "pass/fail" test (test requirement I) or as a classification test (test requirement II).

Where the words 'International Standard' appear, referring to this standard, they should be read as 'Jamaican Standard'.

Where reference is made to informative and normative annexes the following definitions should be noted:

- Informative Annex gives additional information intended to assist in the understanding or use of the document. They do not contain requirements.
- Normative Annex gives provisions additional to those in the body of a document. They contain requirements.

Users should note that all standards undergo revision from time to time and that any reference made herein to any standard implies its latest edition, unless otherwise stated.

This standard is voluntary.

Committee representation

The preparation of this standard for the Standards Council, established under the Standards Act of 1969, was carried out under the supervision of the Paints and Surface Coatings Technical Committee which at the time comprised the following members:

Acknowledgment

Acknowledgement is made to the International Organization for Standardization (ISO) for permission to adopt ISO 22557:2019 Paints and varnishes — Scratch test using a spring-loaded pen.