# Draft Jamaican Standard

Method of Test

for

Paints and varnishes — Determination of volatile organic compounds (VOC) and/or semi volatile organic compounds (SVOC) content — Part 2: Gas-chromatographic method



**BUREAU OF STANDARDS JAMAICA** 

NON-OBJECTION PERIOD: 31 MAY 2023 – 29 JUNE 2023 MARIAN

# IMPORTANT NOTICE

Jamaican standards are subjected to periodic review. The next amendment will be sent without charge if you cut along the dotted line and return the self-addressed label. If we do not receive this label we have no record that you wish to be kept up-to-date. Our address:

Bureau of Standards Jamaica 6 Winchester Road P.O. Box 113 Kingston 10 Jamaica W.I.

------(" cut along the line)------

# JS ISO 11890-2: 202X

NAME OR DESIGNATION
ADDRESS

# JBS CERTIFICATION MARK PROGRAMME

The general policies of the JBS Certification Mark Programme are as follows:

- The JBS provides certification services for manufacturers participating in the programme and licensed to use the gazetted JBS Certification Marks to indicate conformity with Jamaican Standards.
- Where feasible, programmes will be developed to meet special requirements of the submitter. Where applicable, certification may form the basis for acceptance by inspection authorities responsible for enforcement of regulations.
- In performing its functions in accordance with its policies, JBS will not assume or undertake any responsibility of the manufacturer or any other party.

Participants in the programme should note that in the event of failure to resolve an issue arising from interpretation of requirements, there is a formal appeal procedure.

Further information concerning the details of the JBS Certification Mark Programme may be obtained from the Bureau of Standards, 6 Winchester Road, Kingston 10.

# **CERTIFICATION MARKS**



Certification of Agricultural Produce (CAP) Mark



Plant Certification Mark



Jamaica-Made Mark

**Draft Jamaican Standard** 

**Method of Test** 

for

Paints and varnishes — Determination of volatile organic compounds (VOC) and/or semi volatile organic compounds (SVOC) content — Part 2: Gas-chromatographic method

Bureau of Standards Jamaica 6 Winchester Road P.O. Box 113 Kingston 10 Jamaica W. I. Tel: (876) 926 -3140-5, (876) 618 – 1534 or (876) 632-4275 Fax: (876) 929 -4736 E-mail: <u>info@bsj.org.jm</u> Website: <u>www.bsj.org.jm</u>



#### © 202X Bureau of Standards Jamaica

All rights reserved. Unless otherwise specified, no part of a Bureau of Standards publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including, photocopying microfilm or scanning, without permission in writing.

#### ISBN XXX.XXXX.XXX

Declared by the Bureau of Standards to be a standard Method of Test pursuant to section 7 of the Standards Act 1969.

#### First published Month 202X

This standard was circulated in draft form for thirty (30) days non-objection under the reference DJS ISO 11890-2: 2023.

Jamaican Standards establish requirements in relation to commodities, processes and practices, but do not purport to include all the necessary provisions of a contract.

The attention of those using this specification is called to the necessity of complying with any relevant legislation.

No.	Date of Issue	Remarks	Entered by and date
DRAIT			

# Amendments

### Contents

			Page
Comn Ackno	owledg	representation	ii iii iii v
1	Scope		
2		ative references	
3		s and definitions	
4		iple	
5		red information	
6		ratus	
7		ents	
8		dure	
0	8.1	Sampling	
	8.2	Analysis 8.2.1 Sample preparation	
		8.2.2 Data acquisition for sample measurement	
	8.3	Calibration	9
		8.3.1 General 8.3.2 Preparation of calibration solutions	
		8.3.3 Analysis of the multi-point calibration	
	8.4	Quality assurance	
	8.5	Gas chromatographic conditions	
	8.6 8.7	Density	
9		inalysis	
9	9.1	Integration and identification of compounds	
	9.2	Classification of compounds	
10		titative determination of compound content	
	10.1 10.2	General Quantitative determination of compound content	
	10.2	10.2.1 Quantification with respect to CSRF	
		10.2.2 Quantification with respect to surrogate standard	
11	Calcul	lation of VOC and SVOC content	
	11.1 11.2	General	
	11.2	product "ready for use"	
	11.3	Method 2 — VOC content and/or SVOC content, in grams per litre, of the product	
	11.4	"ready for use"	
	11.5	Method 4 — VOC content and/or SVOC content, in grams per litre, of the product "ready for use" less water and less exempt compounds	
12	Data o	evaluation and calculation of final results	
13	Precis	sion	21
	13.1	General	
	13.2 13.3	Repeatability limit, r Reproducibility limit, R	
14		eport	
Anne	x A (nor	mative) Non-exhaustive list of VOC, SVOC and NVOC compounds	

Annex B (informative) Information on thermal unstable products	28
Annex C (informative) Examples for GC method conditions	35
Annex D (informative) Results of the round robin test for the determination of precision data	.37
Bibliography	39

MARINA CANAMANA

# National foreword

This standard is an adoption and is identical to ISO 11890-2: 2020 Paints and varnishes — Determination of volatile organic compounds (VOC) and/or semi volatile organic compounds (SVOC) content — Part 2: Gas-chromatographic method published by the International Organization for Standardization.

#### Scope of the standard

This document is applicable for the determination of VOC and SVOC with an expected VOC and/or SVOC content greater than 0,01 % by mass up to 100 % by mass.

The method given in ISO 11890-1 is used when the VOC is greater than 15 % by mass. This document (method ISO 11890-2) applies when the system contains VOC and SVOC as the VOC result of ISO 11890-1 can be influenced by the SVOC. For VOC content smaller than 0,1 %, the head space method described in ISO 17895 is used as an alternative. ISO 11890-1 and ISO 17895 cannot be used for the determination of the SVOC content.

NOTE 1 Some ingredients of coating materials and their raw materials can decompose during analysis and cause artificial VOC and/or SVOC signals. When determining VOC and/or SVOC for coating materials and their raw materials, these signals are artefacts of the method and are not taken into account (examples are given in Annex B).

This method assumes that the volatile matter is either water or organic. However, other volatile inorganic compounds can be present and might need to be quantified by another suitable method and allowed for in the calculations. The method defined in this document is not applicable for determination of water content.

NOTE 2 If organic acids or bases and their corresponding salts are present in the coating material or its raw materials, the amount that is quantified by this method might not be accurate due to a change in the acid or base equilibrium.

Where the words 'International Standard' appear, referring to this standard, they should be read as 'Jamaican Standard'.

Where reference is made to informative and normative annexes the following definitions should be noted:

- Informative Annex gives additional information intended to assist in the understanding or use of the document. They do not contain requirements.
- Normative Annex gives provisions additional to those in the body of a document. They contain requirements.

Users should note that all standards undergo revision from time to time and that any reference made herein to any standard implies its latest edition, unless otherwise stated.

This standard is voluntary.

#### **Committee representation**

The preparation of this standard for the Standards Council, established under the Standards Act of 1969, was carried out under the supervision of the Paints and Surface Coatings Technical Committee which at the time comprised the following members:

#### Acknowledgment

Acknowledgement is made to the International Organization for Standardization (ISO) for permission to adopt ISO 11890-2: 2020 (E).